

Pakistan Journal of Scientific and Industrial Research

Vol. 52, No. 6

Contents

November - December 2009

Physical Sciences

- Selective Nitrations of 2-(1'-Phenylpyrazol-4'-yl) Benzimidazoles
Sabiha Rashid and Misbahul Ain Khan 289
- Effect of Methylmethacrylate and Ethylenediamine on the Physicomechanical Properties of High Strength Portland Cement
Noor-ul-Amin 293
- Kinetics and the Effect of Refining Methods on the Physicochemical Properties, Fat Soluble Vitamins and Nutritional Metal Content of *Hura crepitans* Oil
Adewale Adewuyi and Rotimi Ayodele Oderinde 296
- Stability Studies on Refined Soybean Oil Stored in Various Conditions
J. O. Arawande and I. A. Amoo 303
- Determination of Copper, Manganese, Nickel and Zinc in Different Cigarette Brands Available in Pakistan
Ishratullah Siddiqui, Durdana Rais Hashmi, Farooq Ahmad Khan, Akhtar Shareef, Ghulam Hussain Shaikh and Alia Bano Munshi 307
- Studies on Cu (II) and Ni (II) Sulphate Chelates of Benzyl, Salicylic and Acetyl Salicylo Hydrazones
H. D. Aliyu 312
- Effect of Additives on the Yield and Quality of Palm Oil
M.O. Odo, F.M. Ugwu and C.A. Mbachu 316

Biological Sciences

- Cotton Leaf Curl Rajasthan Virus Infecting Tomato in Pakistan
Muhammad Shafiq Shahid, Liaqat Ali and Saiqa Wajid 319
- Effects of Delayed Mating on Reproductive Performance of *Ephesia cautella* [Walker] [Lepidoptera: Pyralidae]
J. O. Akinneye and M. O. Ashamo 322
- Evaluation of Five Indigenous Medicinal Plants of Sindh, Pakistan for their Antifungal Potential
Erum Naz and Mansoor Ahmad 328
- Potassium Dynamics Under Exhaustive Cropping of Sudan Grass (*Sorghum vulgare*) in Some Indian Soils
G. Ali Roshani and G. Narayanasamy 334

Advanced Wheat Genotypes Response to <i>Helicoverpa armigera</i> Hubner Infestation Lal Hussain Akhtar, Altaf Hussain Tariq, Manzoor Hussain, Rana Muhammad Iqbal and Marghub Amer	338
---	------------

Technology

The Effect of Unsaturated Polyester Resin from Recycled PET as Compatibilizer for Styrene-Butadiene (SBR)/Acrylonitrile-Butadiene (NBR) Rubber Blend Tehzeeb Akhter, Nudrat Zahid Raza, Khalid Mahmood and Mahmood Iqbal	341
--	------------

Contents of Volume 52 (No. 1-6)	i
--	----------

Author Index of Volume 52	viii
----------------------------------	-------------

Subject Index of Volume 52	xi
-----------------------------------	-----------

Physical Sciences

Pak. J. Sci. Ind. Res. 2009 52 (6) 289-292

Selective Nitrations of 2-(1'-Phenylpyrazol-4'-yl) Benzimidazoles

Sabiha Rashid^a and Misbahul Ain Khan^{b*}

^aDepartment of Chemistry, Division of Science and Technology, University of Education, Lahore, Pakistan

^bDepartment of Chemistry, Islamia University, Bahawalpur, Pakistan

(received January 10, 2009; revised August 7, 2009; accepted August 8, 2009)

Abstract. Nitration of 2-(1'-phenylpyrazol-4'-yl) benzimidazole ring system was found to be temperature dependent. Room temperature nitration occurred at the phenyl ring of pyrazole, while at 100 °C, a dinitrated product is obtained where the second nitro group is introduced at the 5-position of the benzimidazole ring. Nitration at 100 °C leads directly to the expected dinitration product. Mass spectral fragmentations for both the compounds is described.

Keywords: pyrazoles, benzimidazoles, nitration, mass spectra

Effect of Methylmethacrylate and Ethylenediamine on the Physicomechanical Properties of High Strength Portland Cement

Noor-ul-Amin

Department of Chemistry, Abdul Wali Khan University, Mardan, Pakistan

(received November 11, 2008; revised September 18, 2009; accepted September 30, 2009)

Abstract. In the study of the effect of methylmethacrylate ($C_5H_9O_2$) and ethylenediamine ($C_2N_2H_8$) on the physicomechanical properties of high strength Portland cement, addition of methylmethacrylate upto 5% strength showed negative effect on the bulk density, cold crushing strength and hydration of the cement; however, the negative effect was relatively less in case of lower concentrations ($\leq 2\%$). Addition of ethylenediamine upto 3% concentration showed remarkable increase in these properties.

Keywords: portland cement, additives, methylmethacrylate, ethylenediamine

Kinetics and the Effect of Refining Methods on the Physicochemical Properties, Fat Soluble Vitamins and Nutritional Metal Content of *Hura crepitans* Oil

Adewale Adewuyi* and Rotimi Ayodele Oderinde

Industrial Chemistry Unit, Department of Chemistry, University of Ibadan, Ibadan, Oyo State, Nigeria

(received March 16, 2009; revised May 21, 2009; accepted August 5, 2009)

Abstract. The effect of three refining methods, viz. alkali refining, degumming and bleaching was investigated on the physicochemical properties, fat soluble vitamins and nutritional metal content of *Hura crepitans* oil. The processes increased the glyceride content while there was reduction in the nutritional metal content of the oil. The effect of temperature (60-180 °C) and time (upto 90 min) was also considered using the bleaching method with surface active clay and activated charcoal. The adsorption of peroxides was adequately modeled by Arrhenius type of equation and described by the first-order kinetic. The activation energy for bleaching at 120 °C and 45 min was 244.60 cal/mole. Among all the refining methods, bleaching appeared to be the best technique for refining in terms of stability and improvement of physicochemical properties of the *H. crepitans* seed oil.

Keywords: oil refining methods, physicochemical properties, vegetable oil, *Hura crepitans* seed oil, vitamins, minerals

Stability Studies on Refined Soybean Oil Stored in Various Conditions

J.O. Arawande^{a*} and I.A. Amoo^b

^aDepartment of Science Laboratory Technology, Rufus Giwa Polytechnic,
P.M.B. 1019, Owo, Ondo State, Nigeria

^bDepartment of Chemistry, Federal University of Technology, P.M.B. 704, Akure, Ondo State, Nigeria

(received October 9, 2008; revised October 24, 2009; accepted November 11, 2009)

Abstract: The 12 months stability study of freshly produced refined soybean oil revealed that refined soybean oil stored in plastic containers in dark was more hydrolytically and oxidatively stable than that stored in other containers in light condition. There was no significant difference at $P < 0.05$ in free fatty acids and acid value of oil stored under light and dark conditions in tin and glass containers but there was significant difference at $P < 0.05$ in peroxide value of oil stored in light and dark conditions in all the storage containers. Light increased the degree of oxidative rancidity of refined soybean oil, the most in tin containers, followed by glass containers and the least in plastic containers.

Keywords: soybean oil, light and dark conditions, stability study

Determination of Copper, Manganese, Nickel and Zinc in Different Cigarette Brands Available in Pakistan

**Ishratullah Siddiqui, Durdana Rais Hashmi*, Farooq Ahmad Khan, Akhtar Shareef,
Ghulam Hussain Shaikh and Alia Bano Munshi**

Centre for Environmental Studies, PCSIR Laboratories Complex, Shahrah-e-Dr. Salimuzzaman Siddiqui,
Karachi-75280, Pakistan

(received May 15, 2009; revised September 3, 2009; accepted September 7, 2009)

Abstract. Mean values of copper, manganese, nickel and zinc in different cigarette brands sold in Pakistan were found to be in the range of 8.61 to 94.67 $\mu\text{g/g}$, 26.40 to 98.20 $\mu\text{g/g}$, 0.61 to 8.58 $\mu\text{g/g}$ and 16.92 to 99.60 $\mu\text{g/g}$, respectively, through Atomic Absorption Spectrophotometer (AAS). The results are discussed with reference to and in comparison with the mean average concentration of these elements reported in the cigarettes of other countries.

Keywords: cigarette, tobacco, smoking, heavy metals, health effect

Studies on Cu (II) and Ni (II) Sulphate Chelates of Benzyl, Salicylic and Acetyl Salicylo-Hydrazones

H.D. Aliyu

Chemistry Department, University of Abuja, Abuja, Nigeria

(received October 8, 2008; revised August 6, 2009; accepted September 30, 2009)

Abstract: Six complexes of Cu(II) and Ni(II) sulphate of acetaldehyde, benzaldehyde and salicylic acid with salicylic hydrazide were synthesized and characterized. The hydrazone acts as neutral bidentate clones coordinating *via* the carbonyl oxygen and its azomethine nitrogen, while the sulphate ions are in the outer coordination sphere. The bioactivities of ligands were enhanced on complexation.

Keywords: sulphate chelates, salicylic hydrazides, acetyl salicylo-hydrazones, hydrazones

Effect of Additives on the Yield and Quality of Palm Oil

M. O. Odo*, F. M. Ugwu and C. A. Mbachu

Department of Food Science and Technology, Ebonyi State University, Abakaliki, Nigeria

(received August 20, 2008; revised October 10, 2009; accepted October 13, 2009)

Abstract. In the study of the effect of additives namely *Manihot esculenta* Crantz, (cassava), *Erythrina senegalensis* (ukwa) and *Oxytenanthera* species (bamboo) leaves, on the yield and quality of traditionally processed palm oil, the raw leaves were found to contain some anti-nutrients like tannins, oxalates, trypsin inhibitors, alkaloids and phytic acid at tolerable levels. The additives increased the yield from 300 ml (of the control) to 450 ml with a standard deviation of 60.6 ml. The peroxide value was in the range of 0.4-1.0 meq/kg, free fatty acid varied between 0.847-1.12 mg KOH/g, iodine value between 51.01-52.54, saponification value between 7.84-93.97 KOH/g of oil and moisture content, between 1.4-1.8%. Analysis of variance (ANOVA) showed significant differences, ($P < 0.05$) in the yield, relative density, peroxide value, iodine value and saponification values. However, there were no significant differences ($P > 0.05$) in the moisture contents, free fatty acid, specific gravity, smoke point, flash point and fire points. The standard deviation results revealed that the palm oil produced using ukwa leaf differed from the others in terms of smoke, flash, and fire points. Cassava leaves was the best of the studied additives in terms of yield with the physical properties comparing favourably with the control. Chemical properties were similar to the control with the exception of the saponification value.

Keywords: palm oil, additives, yield, *Manihot esculenta*, *Erythrina senegalensis*, *Oxytenanthera* sp.

Cotton Leaf Curl Rajasthan Virus Infecting Tomato in Pakistan

Muhammad Shafiq Shahid*, Liaqat Ali and Saiqa Wajid

National Institute for Biotechnology and Genetic Engineering, P.O. Box 577, Jhang Road,
Faisalabad, Pakistan

(received June 11, 2009; revised September 10, 2009; accepted October 21, 2009)

Abstract: Tomato plants showing phenotypically symptoms of tomato leaf curl disease (ToLCD) were collected in Faisalabad, Pakistan. These exhibited a severe downward leaf curling with enation on the lower side of the leaf. In order to identify the begomovirus components associated with the disease phenotypes, DNA extracted from them was screened by PCR using specific primers for ToLCNDV DNA A and DNA B and a universal beta satellite primer pair (designed to detect all beta satellite). Tomato sample was found positive for ToLCNDV DNA A and beta satellite. The fragments amplified were cloned and sequenced. The begomovirus sequence obtained showed the highest levels of sequence identity (99%) to cotton leaf curl Rajasthan virus (CLCuRV), a virus previously identified in cotton showing symptoms of cotton leaf curl disease (CLCuD). The sequence of beta satellite showed 99% identity to the beta satellite associated with CLCuD. This is the first time CLCuRV has been identified in tomato and indicates that this host can serve as a reservoir for the agent causing CLCuD. Partial repeat constructs for *Agrobacterium*-mediated inoculation have been produced to show infectivity of these clones (to fulfill Koch's postulates), for studying their host range and potential threat to crops.

Keywords: begomovirus, geminivirus, whitefly, tomato disease, beta satellite, CLCuRV in tomato, CLCuD

Effects of Delayed Mating on Reproductive Performance of *Ephestia cautella* [Walker] [Lepidoptera: Pyralidae]

J. O. Akinneye* and M. O. Ashamo

Storage Research Laboratory, Department of Biology, Federal University of Technology, Akure, Nigeria

(received January 26, 2009; revised September 30, 2009; accepted October 10, 2009)

Abstract. The effect of age at mating of male and female warehouse moth, *Ephestia cautella* (Walker), soon after the emergence or delayed for 1-5 days was studied on the number of eggs laid (fecundity), egg viability, longevity and adult emergence. It was found that with the delay in mating after emergence of male, female or both, the number of eggs laid decreased proportionately. Egg viability decreased when female or both male and female were delayed from mating for more than 4 days. Male insects, that were delayed from mating, lived longer than the females delayed from mating. Average male and female longevity in all the treatments was 10 and 7 days, respectively. Delayed mating had significant effect on females than on males. Unmated males lived longer than the mated males. Thus methods that can delay and disrupt mating may be effective behavioural strategies for managing *E. cautella*.

Keywords: *Ephestia cautella*, mating delay, longevity, adult emergence, eggs

Evaluation of Five Indigenous Medicinal Plants of Sindh, Pakistan for their Antifungal Potential

Erum Naz^{a*} and Mansoor Ahmad^b

^aDepartment of Microbiology, University of Karachi, Karachi-75270, Pakistan

^bResearch Institute of Pharmaceutical Sciences, Department of Pharmacognosy, University of Karachi, Karachi-75270, Pakistan

(received May 18, 2009; revised October 7, 2009; accepted October 12, 2009)

Abstract. Candidiasis and systemic mycosis due to opportunistic pathogens is frequently reported in Sindh, especially in rural areas. In search of local antifungal medicinal plants, methanol, petroleum ether and aqueous extracts of five native medicinal plants *Trachyspermum ammi*, *Hyoscyamus niger*, *Carum roxburgianum*, *Linum usitatissimum* and *Centella asiatica* were screened against five *Candida* strains including three strains of *Candida albicans* and one strain of *C. glabrata* and *C. tropicalis*, each. Antimicrobial screening of five filamentous fungal strains of clinical origin comprising of three strains of *Aspergillus niger*, one species of *A. flavus* and *Penicillium* each, revealed 100% activity of methanolic extract of *T. ammi*; petroleum ether extract of *T. ammi* and *H. niger* and methanolic extracts of *H. niger*, *C. asiatica* and *C. roxburgianum* produced 60, 20, 50, 50 and 10% inhibition, respectively, whereas, *L. usitatissimum* was inactive. Reference antibiotics were Nystatin and Amphotericin-B for yeast species and filamentous fungi, respectively. Least minimum inhibitory concentration (125 µg/disc) against *Candida* sp. was produced by the methanolic extract of *T. ammi* and *H. niger* and 500 and 1000 µg/disc against *Aspergillus* species, respectively. Results indicated that *T. ammi* and *H. niger* may be considered as potential future antifungal agents.

Keywords: mycosis, candidiasis, *Trachyspermum ammi*, *Hyoscyamus niger*, *Carum roxburgianum*, *Linum usitatissimum*, *Centella asiatica*, filamentous fungi

Potassium Dynamics Under Exhaustive Cropping of Sudan Grass (*Sorghum vulgare*) in Some Indian Soils

G. Ali Roshani^{a*} and G. Narayanasamy^b

^aDepartment of Soil and Water, Golestan Agricultural Research Center, Gorgan, Iran

^bDivision of Soil Science and Agricultural Chemistry, IARI, New Delhi- 12, India

(received May 28, 2008; revised August 29, 2009; accepted October 10, 2009)

Abstract. In order to study the effect of different levels of K exhaustion on potassium dynamics, Sudan grass was grown in clay pots containing 5 kg of three types of soils each namely Alfisol, Vertisol, and Inceptisol from India. Potassium was applied at the rate of 0, 50, 100, and 200 mg/kg before starting the experiment and after each of the first three cuttings. Seven cuts of Sudan grass were taken over a period of 280 days, at 4-6 week intervals. Potassium content of Sudan grass increased with increased amounts of K applied as fertilizer. The highest values for K concentration in Sudan grass were recorded in the 1st and the 2nd cuts and gradually decreased up to the last cut, but the rate of decrease was much lower in moderately exhausted soils (AK₂₀₀, BK₂₀₀, and RK₂₀₀). In Inceptisol and Vertisol as the intensity of exhaustion increased the contribution of non-exchangeable K (NE-K) to meet the plant demand also increased, but in Alfisol a reverse trend was noticed (decrease in replenishment rate). Total amount of NE-K utilized by crop was high in K₀ and low in K₂₀₀ treatment in all the soils, but the proportion of percent share of K₀/K₂₀₀ was the highest in Inceptisol (4.5), medium in Vertisol (3.50) and the lowest in Alfisol (2.29).

Keywords: K dynamics, K depletion, exhaustive cropping, Sudan grass, Indian soils, *Sorghum vulgare*

Advanced Wheat Genotypes Response to *Helicoverpa armigera* Hubner Infestation

Lal Hussain Akhtar^{a*}, Altaf Hussain Tariq^a, Manzoor Hussain^a,
Rana Muhammad Iqbal^b and Marghub Amer^c

^aRegional Agricultural Research Institute (RARI), Bahawalpur, Pakistan

^bCholistan Institute of Desert Studies, The Islamia University of Bahawalpur, Pakistan

^cSub-Campus University of Agriculture Faisalabad at Depalpur, Okara, Pakistan

(received December 18, 2008; revised September 30, 2009; accepted November 12, 2009)

Abstract. In the evaluation of the response of 20 wheat genotypes in terms of spike and grain damage caused by *Helicoverpa armigera* Hubner, a significant genotypic variability was found to exist among the wheat genotypes for all the traits studied. Grain yield ranged from 2931 (DN-10) to 4333 (AUP-9701) kg/ha, whereas, spike and grain damage ranged from 19.95 to 80.47 and 3.90 to 22.16% in various wheat genotypes, respectively.

Keywords: *Triticum aestivum*, *Helicoverpa armigera*, variety, grain yield, losses

Technology

Pak. J. Sci. Ind. Res. 2009 52 (6) 341-346

The Effect of Unsaturated Polyester Resin from Recycled PET as Compatibilizer for Styrene-Butadiene (SBR)/Acrylonitrile-Butadiene (NBR) Rubber Blend

Tehzeeb Akhter*, Nudrat Zahid Raza, Khalid Mahmood and Mahmood Iqbal

Material Science Research Centre, PCSIR Laboratories Complex,
Sharah-e-Dr. Salimuzzaman Siddiqui, Karachi-75280, Pakistan

(received March 3, 2009; revised September 16, 2009; accepted September 30, 2009)

Abstract. Unsaturated polyester resin (UPR) from recycled PET flakes was prepared by depolymerization with propylene glycol and polyesterified with adipic acid. The effect of addition of 5, 10 and 15 phr of unsaturated polyester resin (UPR) on the compatibility and physicomechanical properties of styrene-butadiene rubber (SBR) and acrylonitrile-butadiene rubber (NBR) blends were studied. DSC, TGA, MDR, FTIR and chemical methods were used to determine the degree of compatibility. The mechanical and physical properties of the blends were found to improve with addition of 10 phr UPR for SBR/NBR blend.

Keywords: polyester resin, PET flakes recycled, Styrene-butadiene rubber, acrylonitrile-butadiene rubber, depolymerization, unsaturated polyester resin, rubber blends

Pakistan Journal of Scientific and Industrial Research

Volume 52

Contents

Vol. 52, No. 1, January - February 2009

Physical Sciences

7-Azaindole Derivatives as Potential Antibacterial Agents

Zafar S. Saify S.M. Moazzam, Mehrun Nisa, Shakeel Ahmed Khan, Aqueel Ahmed, Shazia Haider, Arshad Aryne, Munawer Khanum, Nudrat Arshad and Marium Ghani 1

Synthesis of Some New Substituted Quinazolin-4-3H-Ones as Potent Anticonvulsant Agents

Neha Garg, Trilok Chandra, S. Lata, K.K Saxena and Ashok Kumar 8

Synthesis of Blue Pigment from Kaolin

Amin Ur Rahman, Faridullah Khan, Muhammad Riaz and Atif Latif 15

Biological Sciences

Evaluation of the Seed Oil of Three *Citrus* species, for the Control of the Bean beetle, *Callosobruchus maculatus* (F) (Coleoptera: Bruchidae)

R. F. Ogunleye 18

Growth Measurement of Some Amylolytic *Bacillus* Species in Three Media

Adedayo Olajide Ajayi 22

Endemicity of Urinary Schistosomiasis in Ogbese-Ekiti Community of Ise-Orun

Local Government Area of Ekiti State, Nigeria
C.A. Ologunde 28

Dynamics of Clay Mineralogy With Profile Depth in Relation to Long Term Potassium Fertilizer Application to Sugar Cane Crop

M. Yousuf, S. Ali, M. Waheed and M.S. Akhtar 32

The Effects of Industrial Soil Pollution on *Prosopis juliflora* Swartz Growth Around Karachi

Syed Atiq-ur-Rehman and Muhammad Zafar Iqbal 37

Short Communication

Investigation of Starch Modification Potential of 'Kanwa'-an Alkaline Salt

A.K. Oladele, U.I. Ibanga and J.O. Aina 44

Technology

Bactericidal Efficacy of Silver Impregnated Activated Carbon for Disinfection of Water

Liaquat Sultana, Ishratullah Siddiqui, Farooq Ahmed Khan and Tanzil Haider Usmani 47

A ¹⁵N Tracer Study to Evaluate the Effects of Nitrogen and Copper Fertilization on Fertilizer Nitrogen Efficiency in Rice Production	
Abu Turab Mohammad Ali Choudhury and Mohammad Khanif Yusop	53

Vol. 52, No. 2, March - April 2009

Physical Sciences

Extractive Separation of Al(III) and Ni(II) by Di-2-Ethylhexyl Phosphoric Acid -Kerosene System from Aqueous Fluoride Medium	
Muhammad Fakhurul Islam, Dil Afroz Begum, Muhammad Matiur Rahman and Muhammad Saidur Rahman	59
Studies on the Lipolytic Enzymes of <i>Sesamum indicum</i> Seed Powder	
Nusrullah Akhtar, Salma Rahman and Abdul Jabbar	66
An Ecofriendly Synthesis of 4-Thiazolidinone Derivative Using Tributylammonium Bromide Under Microwave Irradiation	
Muhammad Naeem, Muhammad Nawaz Chaudhry and Rana Amjad	70

Biological Sciences

Salicylic Acid Induced Physiological and Biochemical Changes in Wheat Under Drought Stress Conditions	
Sami Ullah Khan, Asghari Bano, Jalal Ud Din and Suba Sadiq Tahir	75
Micronutrient (Zn) Role in Stimulating Root Nodules and Yield of Chickpea	
Abdur Rashid	80
Status of Plant Available Sulphur and its Relationship to Other Soil Characteristics in Pothwar Soils	
Rizwan Khalid, Khalid Saifullah Khan, Ghulam Shabbir, Muhammad Yousaf and Shahid Yaqub Naz	84

Technology

A Weak Current Amperometric Technique in Physiological and Bioelectromagnetic Measurements	
Masroor Hussain Shah Bukhari, John H. Miller Jr. and Zahoor Hussain Shah	91
Heterologous Expression of <i>Chaetomium thermophilum</i> Xylanase 11-A (CtX 11-A) Gene	
Saiqa Wajid, Shafiq Shahid, Farooq Latif, Zahid Mukhtar, Sher Afzal and Shahid Mansoor	100

Review

Lobsters from Northern Arabian Sea (Pakistan Coast)	
Razia Sultana, Quddusi Begum Kazmi and Shahid Amjad	107

Vol. 52, No. 3, May - June 2009

Physical Sciences

- Synthesis and Spectral Studies of Some Novel Coumarin Based Disperse Azo Dyes**
Rana Amjad, Munawar Ali Munawar, Shahid Rehman Khan and Muhammad Naeem 117
- Intercorrelation of Amino Acid Quality between Raw, Steeped and Germinated Pearl Millet (*Pennisetum typhoides*) Grains**
Emmanuel Ilesanmi Adeyeye 122
- Chemical and Amino Acid Composition of Cooked Walnut (*Juglans regia*) Flour**
Henry Niyi Ogungbenle 130
- Comparative Study of Heavy Metals in Selected Vegetables Collected from Different Sources**
Khalid Iqbal, Tahira Shafiq and Kurshed Ahmed 134

Biological Sciences

- Antimicrobial Screening of Some Derivatives of Methyl α -D-Glucopyranoside**
Abul K. M. S. Kabir, Sarkar M. A. Kawsar, Mohammad M. R. Bhuiyan, Md. Safiqur Rahman and Mohammad E. Chowdhury 138
- Antibacterial Activity of Some Commonly Used Food Commodities Against *Escherichia coli*, *Salmonella typhi* and *Staphylococcus aureus***
Anila Siddiqui, Asma Ansari and Seema Ismat Khan 143
- Effect of Modified Water Chestnut (*Trapa bispinosa*) Starch on Physical and Sensory Properties of Sponge Cake**
Zubala Lutfi and Abid Hasnain 146

Short Communication

- Efficacy of Copxykil Against Some Pathogenic and Non-Pathogenic Microorganisms**
Tahera Khatoon, Yazdana M. Rizki, Shahnaz Parveen and Muhammad Ishaq Qaimkhani 151

Technology

- Quantification of Methotrexate by Liquid Chromatography Ultraviolet Detection for Routine Monitoring of Plasma Levels**
Nadia Jebabli, Anis Klouz, Ridha Ben Ali, Emna Gaïes, Issam Salouage, Mohamed Lakhel and Chalbi Belkahia 154
- Experimental Investigation of VOCs Emitted from a DI-CI Engine Fuelled with Biodiesel, Diesel and Biodiesel-Diesel Blend**
Asad Naeem Shah, G. E. Yun-shan, Tan Jian-Wei and Liu Zhi-hua 158

Noise Characteristics of Pumps at Tehran's Oil Refinery and Control Module Design R. Golmohammadi, M. R. Monazzam, M. Nourollahi and A. Nezafat	167
---	-----

Vol. 52, No. 4, July - August 2009

Physical Sciences

Solvent Extraction of Zn(II) from Aqueous Sulphate Media by Di(2-Ethylhexyl) Phosphoric Acid in Kerosene D. A. Begum, M. Alauddin, M. F. Islam and M. S. Rahman	173
Synthesis, Characterization and Antimicrobial Evaluation of Some Arylidenehydrazono-furopyrimidines and Thienopyrimidines Md. Mosharef Hossain Bhuiyan, Khandker M. M. Rahman and Md. Imjamul Islam	180
<i>In vitro</i> Analysis and Data Comparison of Market Brands of Ciprofloxacin, Ofloxacin and Levofloxacin Muhammad Zaheer, Salma Rahman, Shahid Mahmood and Muhammad Saleem	186

Biological Sciences

Purification and Characterization of Bacteriocin Like Substance Produced from <i>Bacillus lentus</i> with Perspective of New Biopreservative for Food Preservation Nivedita Sharma, Ambika Attri and Neha Gautam	191
Karyomorphological and Morphometric Studies of Ploidy Levels in Some Wheat (<i>Triticum aestivum</i> L.) Genotypes E. A. Kamel, A. Arminian and S. Houshmand	200
Ameliorative Effect of Ethanolic Extract of <i>Cichorium intybus</i> on Cisplatin-Induced Nephrotoxicity in Rats Shafaq Noori and Tabassum Mahboob	208

Technology

Effects of Biodiesel from Soybean Oil on the Exhaust Emissions of a Turbocharged Diesel Engine Asad Naeem Shah, GE Yun-shan, TAN Jian-wei, He Chao	217
Development of a Solar Fish Dryer Adenike Boyo and Henry Boyo	228

Vol. 52, No. 5, September - October 2009

Physical Sciences

- Separation of Ti(IV) and Fe(III) from Aqueous Sulphate Solution by Cyanex 272
[Bis(2,4,4-Trimethylpentyl) Phosphinic Acid] in Kerosene
R. K. Zoardar, M. S. Rahman, D. A. Begum and M. F. Islam 231
- Synthesis and Characterization of Valero and Isovalero Hydroxamic Acids and their
Complexes with Zn(II) And Al(III)
H. D. Aliyu and J. N. Nwabueze 239
- Synthesis and Anti-inflammatory Activity of 4-Substituted-2,5-Disubstituted Indolyl
Azetidine-3-yl/Thiazolidin-1-yl-Substituted Triazoles
Trilok Chandra, Neha Garg and Ashok Kumar 243
- Spatial Assessment of Polycyclic Aromatic Hydrocarbons in Streambed Sediments
I.A. Ololade, L. Lajide and N.A. Oladoja 253

Biological Sciences

- Seed Oils of Pakistani Wild Species of Umbelliferae Family: *Ducrosia anethifolia*, *Bunium
persicum*, *Bunium cylindricum* and *Ammi majus*, as Potential Industrial Raw Material
Bushra Khalid, Shahnaz Hamid, Lubna Liaqat and J. I. Khan 260
- Comparative Study for the Effect of Biofertilizers and Chemical Fertilizers on Soybean Oil
Content and its Potential for Biodiesel Production
Asia Nosheen, Asghari Bano and Faizanullah 264
- Effect of Different Humidity Levels on the Biology of Longtailed Mealy Bug *Pseudococcus
longispinus* (Targioni and Tozzetti) (Homoptera: Pseudococcidae)
Waseem A. Gillani, M. J. W. Copland and Shazia Raja 270

Short Communication

- Optimization of Substrate Concentration for Enhanced Citric Acid Production by
Aspergillus niger M-101
Aftab Nadeem, Saghir Ahmad Jafri, Shahjahan Baig, Muhammad Irfan and Quratulain Syed 275

Technology

- Process Optimization of Experimental Variables Using Plackett-Burman Design for
Decolourisation of Reactive Blue 222 by a Novel Bacterial Consortium Isolated
from the Gut of Termites
K. Nanthakumar, K. Karthikeyan, C. K. Venil and P. Lakshmanaperumalsamy 278

Vol. 52, No. 6, November - December 2009

Physical Sciences

- Selective Nitrations of 2-(1'-Phenylpyrazol-4'-yl) Benzimidazoles**
Sabiha Rashid and Misbahul Ain Khan 289
- Effect of Methylmethacrylate and Ethylenediamine on the Physicomechanical Properties of High Strength Portland Cement**
Noor-ul-Amin 293
- Kinetics and the Effect of Refining Methods on the Physicochemical Properties, Fat Soluble Vitamins and Nutritional Metal Content of *Hura crepitans* Oil**
Adewale Adewuyi and Rotimi Ayodele Oderinde 296
- Stability Studies on Refined Soybean Oil Stored in Various Conditions**
J. O. Arawande and I. A. Amoo 303
- Determination of Copper, Manganese, Nickel and Zinc in Different Cigarette Brands Available in Pakistan**
Ishratullah Siddiqui, Durdana Rais Hashmi, Farooq Ahmad Khan, Akhtar Shareef, Ghulam Hussain Shaikh and Alia Bano Munshi 307
- Studies on Cu (II) and Ni (II) Sulphate Chelates of Benzyl, Salicylic and Acetyl Salicylo Hydrazones**
H. D. Aliyu 312
- Effect of Additives on the Yield and Quality of Palm Oil**
M.O. Odo, F.M. Ugwu and C.A. Mbachu 316

Biological Sciences

- Cotton Leaf Curl Rajasthan Virus Infecting Tomato in Pakistan**
Muhammad Shafiq Shahid, Liaqat Ali and Saiqa Wajid 319
- Effects of Delayed Mating on Reproductive Performance of *Ephestia cautella* [Walker] [Lepidoptera: Pyralidae]**
J. O. Akinneye and M. O. Ashamo 322
- Evaluation of Five Indigenous Medicinal Plants of Sindh, Pakistan for their Antifungal Potential**
Erum Naz and Mansoor Ahmad 328
- Potassium Dynamics Under Exhaustive Cropping of Sudan Grass (*Sorghum vulgare*) in Some Indian Soils**
G. Ali Roshani and G. Narayanasamy 334

Advanced Wheat Genotypes Response to <i>Helicoverpa armigera</i> Hubner Infestation Lal Hussain Akhtar, Altaf Hussain Tariq, Manzoor Hussain, Rana Muhammad Iqbal and Marghub Amer	338
---	------------

Technology

The Effect of Unsaturated Polyester Resin from Recycled PET as Compatibilizer for Styrene-Butadiene (SBR)/Acrylonitrile-Butadiene (NBR) Rubber Blend Tehzeeb Akhter, Nudrat Zahid Raza, Khalid Mahmood and Mahmood Iqbal	341
Contents of Volume 52 (No. 1-6)	i
Author Index of Volume 52	viii
Subject Index of Volume 52	xi

Pakistan Journal of Scientific and Industrial Research

Volume 52

Author Index

- Adewuyi, Adewale 52(6) 296
Adeyeye, Emmanuel Ilesanmi 52(3) 122
Afzal, Sher 52(2) 100
Ahmad, Mansoor 52(6) 328
Ahmed, Aqueel 52(1) 1
Ahmed, Khurshed 52(3) 134
Aina, J.O. 52(1) 44
Ajayi, Adedayo Olajide 52(1) 22
Akhtar, Lal Hussain 52(6) 338
Akhtar, M.S. 52(1) 32
Akhtar, Nasrullah 52(2) 66
Akhter, Tehzeeb 52(6) 341
Akinneye, J. O. 52(6) 322
Alauddin, M. 52(4) 173
Ali, Liaqat 52(6) 319
Ali, Rindha Ben 52(3) 154
Ali, S. 52(1) 32
Aliyu, H.D. 52(5) 239; 52(6) 312
Amer, Marghub 52(6) 338
Amin, Noor-ul 52(6) 293
Amjad, Rana 52(2) 70
Amjad, Shahid 52(2) 107
Amoo, I. A. 52(6) 303
Ansari, Asma 52(3) 143
Arawande, J. O. 52(6) 303
Arminian, A. 52(4) 200
Arshad, Nudrat 52(1) 1
Aryne, Arshad 52(1) 1
Ashamo, M. O. 52(6) 322
Attri, Ambika 52(4) 191
Baig, Shahjahan 52(5) 275
Bano, Asghari 52(2) 75; 52(5) 264
Begum, D.A. 52(4) 173; 52(5) 231
Begum, Dil Afroz 52(2) 59
Belkahia, Chalbi 52(3) 154
Bhuiyan, Md. Mosharef Hossain 52(4) 180
Bhuiyan, Mohammad M.R. 52(3) 138
Boyo, Adenike 52(4) 228
Boyo, Henry 52(4) 228
Bukhari, Masroor Hussian Shah 52(2) 91
Chandra, Trilok 52(1) 8; 52(5) 243
Chaudhry, Muhammad Nawaz 52(2) 70
Choa, He 52(4) 217
Choudhury, Abu Turab Mohammad Ali 52(1) 53
Chowdhry, Mohammad E. 52(3) 138
Copland, M.J.W. 52(5) 270
Din, Jalal Ud 52(2) 75
Emna, Gais 52(3) 154
Fiazanullah 52(5) 264
Garg, Neha 52(5) 243
Gautam, Neha 52(4) 191
Ghani, Marium 52(1) 1
Gillani, Waseem A. 52(5) 270
Golmohammadi.R 52(3) 167
Grag, Neha 52(1) 8
Haider, Shazia 52(1) 1
Hamid, Shahnaz 52(5) 260
Hashmi, Durdana Rais 52(6) 307
Hasnain, Abid 52(3) 146
Houshmand, S. 52(4) 200
Hussain , Manzoor 52(6) 338
Ibanga, U.I. 52(1) 44
Iqbal, Khalid 52(3) 134
Iqbal, Mahmood 52(6) 341
Iqbal, Muhammad Zafar 52(1) 37
Iqbal, Rana Muhammad 52(6) 338
Irfan, Muhammmad 52(5) 275
Islam, M.F. 52(4) 173; 52(5) 231
Islam, Md. Imjamul 52(4) 180
Islam, Muhammad Fakhrul 52(2) 59
Jabbar, Abdul 52(2) 66
Jafri, Saghir Ahmed 52(5) 275
Jebali, Nadia 52(3) 154
Jian-Wei, Tan 52(3) 158; 52(4) 217
Kabir, Abdul K.M.S. 52(3) 138
Kamel, E.A. 52(4) 200
Karthikeyan, K. 52(5) 278
Kaswar, Sarkar M.A. 52(3) 138
Kazmi, Quddusi Begum 52(2) 107
Khalid, Bushra 52(5) 260
Khalid, Rizwan 52(2) 84
Khan, Faridullah 52(1) 15
Khan, Farooq Ahmed 52(1) 47; 52(6) 307
Khan, J.I. 52(5) 260

- Khan, Khalid Saifullah 52(2) 84
 Khan, Misbahul Ain 52(6) 289
 Khan, Sami Ullah 52(2) 75
 Khan, Seema Ismat 52(3) 143
 Khan, Shahid Rehman 52(3) 117
 Khan, Shakeel Ahmed 52(1) 1
 Khanum, Munawer 52(1) 1
 Khatoon, Tahera 52(3) 151
 Kluz, Anis 52(3) 154
 Kumar, Ashok 52(1) 8; 52(5) 243
 Lajida, L. 52(5) 253
 Lakhali Mohamed 52(3) 154
 Lakshmanaperumalsamy, P. 52(5) 278
 Lata, S. 52(1) 8
 Latif, Atif 52(1) 15
 Latif, Farooq 52(2) 100
 Liaqat, Lubna 52(5) 260
 Lutfi, Zubala 52(3) 146
 Mahboob, Tabassum 52(4) 208
 Mahmood, Khalid 52(6) 341
 Mahmood, Shahid 52(4) 186
 Mansoor, Shahid 52(2) 100
 Mbachu, C.A. 52(6) 316
 Miller Jr, Jhon H. 52(2) 91
 Moazzam, S.M. 52(1) 1
 Monazzam, M.R. 52(3) 167
 Mukhtar, Zahid 52(2) 100
 Munawar, Munawar Ali 52(3) 117
 Munshi, Alia Bano 52(6) 307
 Nadeem, Aftab 52(5) 275
 Naeem, Muhammad 52(2) 70; 52(3) 117
 Nanthakumar, K. 52(5) 278
 Narayanasamy, G. 52(6) 334
 Nawabueze, J.N. 52(5) 239
 Naz, Erum 52(6) 328
 Naz, Shahid Yaqub 52(2) 84
 Nezafat, A. 52(3) 167
 Nisa, Mehrun 52(1) 1
 Noori, Shafaq 52(4) 208
 Nosheen, Asia 52(5) 264
 Nourollahi, M. 52(3) 167
 Oderinde, Rotimi Ayodele 52(6) 296
 Odo, M.O. 52(6) 316
 Ogunleye, R.F. 52(1) 18
 Oladele, A.K. 52(1) 44
 Oladoja, N.A. 52(5) 253
 Ololade, I.A. 52(5) 253
 Olongunde, C.A. 52(1) 28
 Ongunbenle, Henry Niyi 52(3) 130
 Parveen, Shahnaz 52(3) 151
 Qaimkhani, Muhammad Ishaq 52(3) 151
 Rahman, Aminur 52(1) 15
 Rahman, Khandker M.M. 52(4) 180
 Rahman, M.S. 52(4) 173; 52(5) 231
 Rahman, Md. Safiqur 52(3) 138
 Rahman, Muhammad Matiuur 52(2) 59
 Rahman, Muhammad Saidur 52(2) 59
 Rahman, Salam 52(2) 66; 52(4) 186
 Raja, Shazia 52(5) 270
 Rana, Amjad 52(3) 117
 Rashid, Abdur 52(2) 80
 Rashid, Sabiha 52(6) 289
 Raza, Nudrat Zahid 52(6) 341
 Rehman, Syed Atiq-ur 52(1) 37
 Riaz, Muhammad 52(1) 15
 Rizki, Yazdana M. 52(3) 151
 Roshani, G. Ali 52(6) 334
 Saify, Zafar S. 52(1) 1
 Saleem, Muhammad 52(4) 186
 Salouage, Issam 52(3) 154
 Saxena, K.K. 52(1) 8
 Shabbir, Ghulam 52(2) 84
 Shafiq, Tahira 52(3) 134
 Shah, Asad Naeem 52(3) 158; 52(4) 217
 Shah, Zahoor Hussain 52(2) 91
 Shahid, Shafiq 52(2) 100
 Shahid, Muhammad Shafiq 52(6) 319
 Shaikh, Ghulam Hussain 52(6) 307
 Shareef, Akhtar 52(6) 307
 Sharma, Nivedita 52(4) 191
 Siddiqui, Ishratullah 52(1) 47; 52(6) 307
 Siddiqui, Anila 52(3) 143
 Sultana, Liaquat 52(1) 47
 Sultana, Razia 52(2) 107
 Syed, Quratulain 52(5) 275
 Tahir, Suba Sadiq 52(2) 75
 Tariq, Altaf Hussain 52(6) 338

Ugwu, F.M. 52(6) 316

Usmani, Tanzil Haider 52(1) 47

Venil, C.K. 52(5) 278

Waheed, M. 52(1) 32

Wajid, Saiqa 52(2) 100; 52(6) 319

Yousuf, M. 52(1) 32

Yousaf, Muhammad 52(2) 84

Yun-shan, G.E. 52(3) 158; 52(4) 217

Yusop, Mohammad Khanif 52(1) 53

Zaheer, Muhammad 52(4) 186

Zhi-hua, Liu 52(3) 158

Zoardar, R.K. 52(5) 231

Pakistan Journal of Scientific and Industrial Research

Volume 52

Subject Index

Acetyl-salicylo hydrazones, Cu and Ni sulphate chelates of	52(6)312
Additives effect on Portland cement properties	52(6)293
Additives effect on palm oil yield and quality	52(6)316
Al and Ni separation by phosphoric acid-kerosene system	52(2)59
Amino acid composition of cooked walnut flour	52(3)130
Amino acid quality of germinating pearl millet	52(3)122
<i>Ammi majus</i> , seed oil of	52(5)260
Amperometric technique in measurements, weak current	52(2)91
Amylolytic <i>Bacillus</i> species growth measurement	52(1)22
Antibacterial activity of common food varieties	52(3)143
Antibacterial agents, azaindole derivatives as	52(1)1
Anticonvulsants, new substituted quinazolinones as	52(1)8
Antimicrobial evaluation of some pyrimidine derivatives	52(4)180
Antimicrobial screening of methyl glucopyranoside derivatives	52(3)138
Arabian Sea, lobsters from northern	52(2)107
Aromatic hydrocarbons spatial assessment in streambed sediments, polycyclic	52(5)253
<i>Aspergillus niger</i> , enhanced citric acid production by	52(5)275
Azaindole derivatives as antibacterial agents	52(1)1
Azo dyes, synthesis and spectral study of novel coumarin based disperse	52(3)117
<i>Bacillus</i> species, growth measurement of amylolytic	52(1)22
Bacterial consortium from termite gut for Reactive Blue 222 decolourization	52(5)278
Bacteriocin like productions by <i>Bacillus lentus</i>	52(4)191
Bean beetle control by citrus seed oil	52(1)18
Benzimidazoles, nitrations of phenylpyrazol	52(6)289
Benzyle hydrazones, Cu and Ni sulphate chelates of	52(6)312
Biodiesel from soybean oil effect on diesel engine exhaust	52(4)217
Biodiesel production, potential of soybean oil for	52(5)264
Bioelectromagnetic measurements, weak current amperometric technique in	52(2)91
Biopreservatives for foods, new	52(4)191
<i>Bunium cylindricum</i> , seed oil of	52(5)260
<i>Bunium persicum</i> , seed oil of	52(5)260
<i>Callosobruchus maculatus</i> control by citrus seed oil	52(1)18
Candidiasis, antifungal potential of plants against	52(6)328
<i>Chaetomium thermophilum</i> xylanase gene, heterologous expression of	52(2)100
Chickpea yield, zinc role in stimulating	52(2)80
<i>Cichorium intybus</i> effect on Cisplatin-induced nephrotoxicity	52(4)208
Cigarettes, metal determination in Pakistani	52(6)307
Cisplatin-induced nephrotoxicity, <i>Cichorium intybus</i> effect on	52(4)208
Citric acid production by <i>Aspergillus niger</i> , enhanced	52(5)275
Citrus seed oil for bean beetle control	52(1)18
Clay mineralogy in relation to potassium fertilization of sugar cane crops	52(1)32
CLCuRV infection in tomato	52(6)319

Copxykil against microbes	52(3)151
Cotton leaf curl virus in tomato	52(6)319
Coumarin based disperse azo dyes, synthesis and spectral study of novel	52(3)117
Cyanex in kerosene, Ti and Fe separation from sulphate solution by	52(5)231
D2EHPA-kerosene system for Al and Ni separation	52(2)59
Diesel blends in DI-CI engines, VOCs emitted by	52(3)158
Diesel engine exhaust, effect of biodiesel from soybean oil on	52(4)217
Drought, salicylic acid induced changes in wheat under	52(2)75
<i>Ducrosia anethifolia</i> seed oil	52(5)260
<i>E. coli</i> , antibacterial activity of common foods against	52(3)143
Engines, VOCs emitted by diesel blends in DI-CI	52(3)158
<i>Ephestia cautella</i> , delayed mating effect on	52(6)322
Ethylenediamine effect on Portland cement	52(6)293
Fe and Ti separation from sulphate solution by Cyanex	52(5)231
Fertilizer effect on soybean oil content for biodiesel production	52(5)264
Fish dryer, solar	52(4)228
Floxacin brands analysis and data comparison	52(4)186
Fluoride medium, Al and Ni separation from	52(2)59
Food biopreservatives, new	52(4)191
Foods, antibacterial activity of common	52(3)143
Heavy metals in vegetables	52(3)134
<i>Helicoverpa armigera</i> infestation, wheat genotypes response to	52(6)338
Humidity effect on <i>Pseudococcus longispinus</i>	52(5)270
<i>Hura crepitans</i> oil refining	52(6)296
Hydrazones, Cu and Ni sulphate chelates of	52(6)312
Hydroxamic acids, synthesis and characterization of valero and isovalero	52(5)239
<i>Juglans regia</i> flour, amino acid quality of cooked	52(3)130
Kanwa starch modification	52(1)44
Kaolin, blue pigment from	52(1)15
Kerosene, Zn extraction from aqueous sulphate media by phosphoric acid in	52(4)173
Kerosene-phosphoric acid system for Al and Ni separation	52(2)59
Lipolytic enzyme activity of <i>Sesamum indicum</i> seeds	52(2)66
Lobsters from northern Arabian Sea	52(2)107
Mealy bug, humidity effect on long tailed	52(5)270
Measurements, weak current amperometric technique for	52(2)91
Medicinal plants of Pakistan, antifungal potential of	52(6)328
Metal determination in Pakistani cigarettes	52(6)307
Methotrexate quantification for plasma level monitoring	52(3)154
Methyl glucopyranoside derivatives antimicrobial screening	52(3)138
Methylethacrylate effect on Portland cement	52(6)293
Micronutrient role in stimulating chickpea yield	52(2)80
Microwave irradiation for 4-thiazolidinone derivative synthesis	52(2)70
Nephrotoxicity, <i>Cichorium intybus</i> effect on Cisplatin-induced	52(4)208

Nitrations of phenylpyrazol benzimidazoles	52(6)289
Ni and Cu fertilization effect on rice production, nitrogen tracer study of	52(1)53
Nitrogen tracer study of nitrogen fertilization effect on rice production	52(1)53
Noise production by oil refinery pumps and control	52(3)167
Oil, additives effect on yield and quality of palm	52(6)316
Oil of four members of Umbelliferae, seed	52(5)260
Oil refinery pumps, noise production by	52(3)167
Oil, stability study of stored refined soybean	52(6)303
Palm oil yield and quality, additives effect on	52(6)316
Pearl millet, amino acid quality of germinating	52(3)122
<i>Pennisetum typhoides</i> grains, amino acid quality of germinating	52(3)122
Phosphoric acid in kerosene, Zn extraction from aqueous sulphate media by	52(4)173
Phosphoric acid-kerosene system for Al and Ni separation	52(2)59
Pigment from Kaolin, blue	52(1)15
Plant available sulphur relationship to soil characteristics	52(2)84
Plasma level monitoring by methotrexate quantification	52(3)154
Ploidy level study in wheat genotypes	52(4)200
Polyester resin effect on SBR/NBR rubber blends	52(6)341
Portland cement, additive effect on	52(6)293
Potassium dynamics of <i>Sorghum vulgare</i>	52(6)334
Potassium fertilization of sugar cane, effect on clay mineralogy	52(1)32
Pothwar soil characteristics, relationship of sulphur in plants to	52(2)84
Process optimization for Reactive Blue 222 decolourization	52(5)278
<i>Prosopis juliflora</i> growth, industrial soil pollution effect on	52(1)37
<i>Pseudococcus longispinus</i> , humidity effect on	52(5)270
Pyrimidine derivatives synthesis and antimicrobial evaluation	52(4)180
Quinazolinones, new substituted; as anticonvulsants	52(1)8
Reactive Blue 222 decolourization by bacterial consortium from termite gut	52(5)278
Refining methods of <i>Hura crepitans</i> oil	52(6)296
Rubber blends SBR/NBR, unsaturated polyester resin effect on	52(6)341
<i>S. aureus</i> , antibacterial activity of common foods against	52(3)143
<i>S. typhi</i> , antibacterial activity of common foods against	52(3)143
Salicylic acid induced changes in wheat under drought	52(2)75
Salicylic hydrazones, Cu and Ni sulphate chelates of	52(6)312
Schistosomiasis endemicity in Ekiti State of Nigeria, urinary	52(1)28
Seed oil of four members of Umbelliferae	52(5)260
<i>Sesamum indicum</i> , optimum conditions for activity of lipolytic enzymes of	52(2)66
Silver coated carbon for water disinfection	52(1)47
Soil pollution effect on <i>Prosopis juliflora</i> growth, industrial	52(1)37
Soils, relationship of sulphur in plants to characteristics of Pothwar	52(2)84
Solar fish dryer	52(4)228
<i>Sorghum vulgare</i> , potassium dynamics of	52(6)334
Soybean oil biodiesel effect on diesel engine exhaust	52(4)217

Soybean oil content, effect of biofertilizers and chemical fertilizers on	52(5)264
Soybean oil, stability study of stored refined	52(6)303
Sponge cake quality, effect of water chestnut starch on	52(3)146
Starch modification of Kanwa	52(1)44
Streambed sediments, spatial assessment of aromatic hydrocarbons in	52(5)253
Sudan grass, potassium dynamics of	52(6)334
Sugar cane potassium fertilization effect on clay mineralogy	52(1)32
Sulphate media, Ti and Fe separation by Cyanex-272 from aqueous	52(5)231
Sulphate media, Zn extraction by phosphoric acid-kerosene system from aqueous	52(4)173
Sulphur-in-plants relationship to Pothwar soil characteristics	52(2)84
Technique in measurement, amperometric	52(2)91
Termite gut, Reactive Blue 222 decolourization by bacterial consortium from	52(5)278
Thiazolidinone derivative synthesis using tributylammonium bromide	52(2)70
Ti and Fe separation from sulphate solution by cyanex in Kerosene	52(5)231
Tomato, CLCuRV infection in	52(6)319
<i>Trapa bispinosa</i> starch effect on sponge cake quality	52(3)146
Triazoles, synthesis and anti-inflammatory activity of substituted	52(5)243
Tributylammonium bromide for 4-thiazolidinone derivative synthesis	52(2)70
<i>Triticum aestivum</i> genotypes, ploidy level study in	52(4)200
Umbelliferae members, seed oil of	52(5)260
Unsaturated polyester resin effect on SBR/NBR rubber blends	52(6)341
Urinary schistosomiasis endemicity in Ekiti State of Nigeria	52(1)28
UV detection for plasma level monitoring	52(3)154
Valero and isovalero hydroxamic acid synthesis and characterization	52(5)239
Vegetable oil from <i>Hura crepitans</i>	52(6)296
Vegetables, heavy metals in	52(3)134
Volatile organic compounds emitted by DI-CI engines	52(3)158
Walnut, amino acid quality of cooked	52(3)130
Warehouse moth, delayed mating effect on	52(6)322
Water chestnut starch effect on sponge cake quality	52(3)146
Water disinfection by silver coated carbon	52(1)47
Wheat genotypes response to <i>Helicoverpa armigera</i> infestation	52(6)338
Wheat genotypes, ploidy level study in	52(4)200
Wheat, salicylic acid induced changes under drought in	52(2)75
Xylanase gene of <i>Chaetomium thermophilum</i> , heterologous expression of	52(2)100
Zinc extraction from aqueous sulphate media by phosphoric acid-kerosene system	52(4)173
Zinc role in stimulating chickpea yield	52(2)80

Pakistan Journal of Scientific and Industrial Research

PCSIR - Scientific Information Centre

PCSIR Laboratories Campus, Shahrah-e-Dr. Salimuzzaman Siddiqui, Karachi - 75280, Pakistan

Ph: 92-21-34651739-43, Fax: 92-21-34651738, E-mail: info@pjsir.org & pcsir-sic@cyber.net.pk

EXCHANGE FORM

We wish to receive Pakistan Journal of Scientific and Industrial Research in exchange of :

Name of Journal: _____
Frequency: _____
Subjects Covered: _____
Institution: _____
Address: _____

Signature: _____
Name: _____
Designation: _____
Date: _____
E-mail: _____
Fax: _____
Phone: _____

Pakistan Journal of Scientific and Industrial Research

PCSIR - Scientific Information Centre

PCSIR Laboratories Campus, Shahrah-e-Dr. Salimuzzaman Siddiqui, Karachi - 75280, Pakistan

Ph: 92-21-34651739-43, Fax: 92-21-34651738, E-mail: info@pjsir.org & pcsir-sic@cyber.net.pk

SUBSCRIPTION FORM

I / we wish to subscribe to 'Pakistan Journal of Scientific and Industrial Research'. The filled in proforma is being returned for compliance.

Subscriber's data:

Name: _____
Address: _____

E-mail: _____
Fax: _____
Phone: _____
Signature: _____
Order Membership No. (if any): _____

Tick the relevant box: ☐ Send invoice ☐ Bill later on ☐ Cheque forenclosed

Subscription Rates: Local: Rs. 350/ = per copy; Rs. 2000/ = per volume
Foreign: US\$ 70/ = per copy; US\$ 400/ = per volume

Payment should be made through cross cheque in favour of Pakistan Journal of Scientific and Industrial Research and mailed to the Director PCSIR - Scientific Information Centre, PCSIR Laboratories Campus, Shahrah-e-Dr. Salimuzzaman Siddiqui, Karachi-75280, Pakistan.